

```
error executing template "Designs\ncnielsen\_parsed\pdf-used-machine.parsed.cshtml"
System.NullReferenceException: Object reference not set to an instance of an object.
   at CompiledRazorTemplates.Dynamic.RazorEngine_6db1faefc06f4d5d91b592d82df7b86c.Execute() in D:\dynamicweb.net\Solutions\Gotcha\ncn.dw9.dynamicweb-cms.com\files\Templates\Designs\ncnielsen\_parsed\pdf-used-machine
   at RazorEngine.Templating.TemplateBase.RazorEngine_6db1faefc06f4d5d91b592d82df7b86c.Execute() in D:\dynamicweb.net\Solutions\Gotcha\ncn.dw9.dynamicweb-cms.com\files\Templates\Designs\ncnielsen\_parsed\pdf-used-machine
   at RazorEngine.Templating.TemplateBase.RazorEngine.Templating.ITemplate.Run(ExecutionContext context, TextWriter reader)
   at RazorEngine.Templating.RazorEngineService.RunCompile(ITemplateKey key, TextWriter writer, Type modelType, Object model, DynamicViewBag viewBag)
   at RazorEngine.Templating.RazorEngineServiceExtensions.<_c__DisplayClass16_0.>.RunCompile_b__0(TextWriter writer)
   at RazorEngine.Templating.RazorEngineServiceExtensions.WithWriter(Action`1 withWriter)
   at Dynamicweb.Rendering.RazorTemplateRenderingProvider.Render(Template template)
   at Dynamicweb.Rendering.TemplateRenderingService.Render(Template template)
   at Dynamicweb.Rendering.Template.RenderRazorTemplate()
```

```
1
2 @inherits Dynamicweb.Rendering.RazorTemplateBase<Dynamicweb.Rendering.RazorTemplateModel<Dynamicweb.Rendering.Template>>
3 @using Dynamicweb
4 @using Dynamicweb.Environment
5 @using Gotcha.NCnielsen.API;
6 @using Gotcha.NCnielsen.Business;
7
8 <!DOCTYPE html>
9 <html lang=@GetString("LongLang")'>
10 @
11     string istouch = "False";
12
13     string jsEditDate = System.IO.File.GetLastWriteTime(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/js/ncnielsen.min.js")).ToString();
14     jsEditDate = jsEditDate.Replace(":", "").Replace(" ", "").Replace("-", "");
15
16     if (GetGlobalValue("Global:Device.IsTablet").ToString() == "True" || GetGlobalValue("Global:Device.IsMobile").ToString() == "True")
17     {
18         istouch = "True";
19     }
20
21     string templateName = GetGlobalValue("Global:Pageview.LayoutTemplate").Replace("test.", "").Replace(".cshtml", "").Replace(".html", "").Replace(".", "");
22
23     string UMID = "-1";
24     string productID = "-1";
25
26     if (System.Web.HttpContext.Current.Request.QueryString["UMID"] != null)
27     {
28         UMID = System.Web.HttpContext.Current.Request.QueryString["UMID"];
29     }
30
31     if (System.Web.HttpContext.Current.Request.QueryString["ProductID"] != null)
32     {
33         productID = System.Web.HttpContext.Current.Request.QueryString["ProductID"];
34     }
35
36     string language = "dan";
37
38     if (Pageview.Area.ID == 3)
39     {
40         language = "enu";
41     }
42     else if (Pageview.Area.ID == 4)
43     {
44         language = "sve";
45     }
46     else if (Pageview.Area.ID == 5)
47     {
48         language = "nor";
49     }
50
51     ProductModel productModel = ProductFacade.GetProductModel(UMID, language);
52     string pdfDownloadLink = System.Web.HttpContext.Current.Request.Url.PathAndQuery;
53
54     if (pdfDownloadLink.Contains("?"))
55     {
56         pdfDownloadLink += "&";
57     }
58     else
59     {
60         pdfDownloadLink += "?";
61     }
62
63     if (UMID != "-1" && productModel.HasProduct)
64     {
65         pdfDownloadLink += "layoutTemplate=pdf-used-machine.cshtml&pdf=true&filename=" + productModel.Product.Name.ToLower().Replace(" ", "_").Replace("/", "-") + ".pdf";
66     }
67     else if (productID != "-1")
68     {
69         Dynamicweb.Ecommerce.Products.ProductService ps = new Dynamicweb.Ecommerce.Products.ProductService();
70         Dynamicweb.Ecommerce.Products.Product p = ps.GetProductById(productID, "", true);
71
72         pdfDownloadLink += "layoutTemplate=pdf-used-machine.cshtml&pdf=true&filename=" + p.Name.ToLower().Replace(" ", "_").Replace("/", "-") + ".pdf";
73     }
74 }
75 <head>
76 <meta charset=@GetString("CharSet")'>
77 <title>@GetValue("Title")</title>
78 @if (System.Web.HttpContext.Current.Request.Url.Host.Contains(".by.gotcha.dk"))
79 {
80     <meta name="robots" content="noindex, nofollow">
81
82     <meta name="viewport" content="width=device-width, initial-scale=1.0">
83     @GetString("MetaTags")
84     @if (System.Web.HttpContext.Current.Request.Cookies["ncnielsen-styles"] != null || System.Web.HttpContext.Current.Request.QueryString["oldschoolcss"] != null)
85     {
86         <link rel="stylesheet" href="/Files/Templates/Designs/ncnielsen/css/ncnielsen.min.css" id="style1" media="screen">
87     }
88     else
89     {
90         if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/css/" + templateName + ".critical.css")))
91         {
92             <text>@System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/css/" + templateName + ".critical.css"))</text>
93         }
94         else
95         {
96             <link rel="stylesheet" href="/Files/Templates/Designs/ncnielsen/css/ncnielsen.min.css" id="style2" media="screen">
97         }
98     }
99 <link rel="preload" href="/Files/Templates/Designs/ncnielsen/fonts/35C9D3_0_0.woff2" as="font" type="font/woff2" crossorigin="">
100 <link rel="preload" href="/Files/Templates/Designs/ncnielsen/fonts/35C9D3_0_0.woff" as="font" type="font/woff" crossorigin="">
101 <link rel="preload" href="/Files/Templates/Designs/ncnielsen/fonts/35C9D3_1_0.woff2" as="font" type="font/woff2" crossorigin="">
102 <link rel="preload" href="/Files/Templates/Designs/ncnielsen/fonts/35C9D3_1_0.woff" as="font" type="font/woff" crossorigin="">
103 <link rel="preload" href="/Files/Templates/Designs/ncnielsen/fonts/24cac6da-66aa-48cc-b950-fcadf2b76ec5.woff2" as="font" type="font/woff2" crossorigin="">
104 <link rel="preload" href="/Files/Templates/Designs/ncnielsen/fonts/bd659a5c-378a-4055-80a1-69bc94044bac.woff" as="font" type="font/woff" crossorigin="">
105 <link rel="preload" href="/Files/Templates/Designs/ncnielsen/fonts/4e27b36d-615c-41eb-baf6-a3095eb585f5.woff2" as="font" type="font/woff2" crossorigin="">
106 <link rel="preload" href="/Files/Templates/Designs/ncnielsen/fonts/9805cfa5-519d-4bfb-82af-f6e07c275f94.woff" as="font" type="font/woff" crossorigin="">
107 @RenderSnippet("csstop")
108 </head>
109 <body data-is-touch=@istouch data-is-mobile=@GetGlobalValue("Global:Device.IsMobile")' data-is-tablet=@GetGlobalValue("Global:Device.IsTablet")' data-is-desktop=@GetGlobalValue("Global:Device.IsDesktop")>
110 <div id="pagewrap">
111     <nav id="navigation">
112         <a href="#" id="logo">
113             @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/nc_nielsen_logo.svg")))
114             {
115                 <text>@System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/nc_nielsen_logo.svg"))</text>
116             }
117         </a>
118         @GetValue("Dwnavigation(primaryNavigation)")
119         <a id="burger">
120             <span class="icon icon-burger">
121                 @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-burger.svg")))
122                 {
123                     <text>@System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-burger.svg"))</text>
124                 }
125             </span>
126         </a>
127         @if (!string.IsNullOrEmpty(GetString("Ecom.Order.OrderLines.TotalProductQuantity")))
128         {
129             <span class="cart mobile-cart">
130                 <a>
131                     @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-cart.svg")))
132                     {
```

```
134     <span class="icon icon-cart">@System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-cart.svg"))</span>
135     </span>
136     <span class="cart-count">
137         @GetString("Ecom:Order.OrderLines.TotalProductQuantity")
138     </span>
139 </a>
140 </span>
141 }
142 <ul id="secondaryNavigation">
143     @if (!string.IsNullOrEmpty(GetString("Ecom:Order.OrderLines.TotalProductQuantity")))
144     {
145         <li class="cart">
146             <a>
147                 @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-cart.svg")))
148                 {
149                     <span class="icon icon-cart">@System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-cart.svg"))</span>
150                 }
151                 <span class="cart-count">
152                     @GetString("Ecom:Order.OrderLines.TotalProductQuantity")
153                 </span>
154             </a>
155         </li>
156     }
157 <li>
158     <a data-modal-trigger="modalLanguages">
159         @foreach (var wl in GetLoop("WebsiteLanguages"))
160         {
161             if (wl.GetBoolean("IsCurrent"))
162             {
163                 <text>@Translate("Translate_Language_selector_" + wl.GetString("Culture") + "_short")</text>
164             }
165         }
166     </li>
167 <li>
168     <a href="/Default.aspx?ID=@GetString("Item.Area.LoginPageId")">
169         @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-lock.svg")))
170         {
171             <span class="icon icon-lock">@System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-lock.svg"))</span>
172         }
173     </a>
174 </li>
175 <li>
176     <a data-modal-trigger="modalSearch">
177         @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-search.svg")))
178         {
179             <span class="icon icon-search">@System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-search.svg"))</span>
180         }
181     </a>
182 </li>
183 </ul>
184 <div id="burgerNavigation">
185     <span class="burger-close">
186         @Translate("Translate_Modal_Luk")
187     <span class="icon icon-close">
188         @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-close.svg")))
189         {
190             <text>@System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-close.svg"))</text>
191         }
192     </span>
193 </span>
194 @GetValue("DwNavigation(burgerNav)")
195 <div class="social">
196     <span class="header">@Translate("Translate_Foelg_os")</span>
197     @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-facebook.svg"))) && !string.IsNullOrEmpty(GetString("Item.Area
198     {
199         <a href=@GetString("Item.Area.Facebook")' class="icon icon-facebook" target="_blank">
200             @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-facebook.svg"))
201         </a>
202     }
203     @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-linkedin.svg"))) && !string.IsNullOrEmpty(GetString("Item.Area
204     {
205         <a href=@GetString("Item.Area.Linkedin")' class="icon icon-linkedin" target="_blank">
206             @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-linkedin.svg"))
207         </a>
208     }
209     @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-youtube.svg"))) && !string.IsNullOrEmpty(GetString("Item.Area
210     {
211         <a href=@GetString("Item.Area.YouTube")' class="icon icon-youtube" target="_blank">
212             @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-youtube.svg"))
213         </a>
214     }
215 </div>
216 <div id="burgerBottom">
217     @if (Pageview.Area.ID == 1)
218     {
219         string burgerLoginHref = "/Default.aspx?ID=" + GetString("Item.Area.LoginPageId");
220     }
221     <a href="@burgerLoginHref">
222         @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-lock.svg")))
223         {
224             <span class="icon icon-lock">
225                 @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-lock.svg"))
226             </span>
227         }
228     </a>
229 }
230 <a data-modal-trigger="modalSearch">
231     @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-search.svg")))
232     {
233         <span class="icon icon-search">
234             @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-search.svg"))
235         </span>
236     }
237 </a>
238 <a data-modal-trigger="modalLanguages">
239     <span>
240         @foreach (var wl in GetLoop("WebsiteLanguages"))
241         {
242             if (wl.GetBoolean("IsCurrent"))
243             {
244                 <text>@Translate("Translate_Language_selector_" + wl.GetString("Culture") + "_short")</text>
245             }
246         }
247     </span>
248 </a>
249 </div>
250 </nav>
251 <header id="header">
252     <div id="productGalleryImageMain">
253         @if (UMID != "-1")
254         {
255             if (productModel.HasProduct)
256             {
257                 string approvedValue = productModel.Product.GetSpecificationValue<string>("M-0090550", "-");
258             }
259             <h1 data-test="test">@productModel.Product.Name</h1>
260             if (productModel.Product.ImageList.Count() > 1)
261             {
262                 <div class="gallery">
263                     @if (
264                         int counter = 0;
265                         foreach (var img in productModel.Product.ImageList)
266                         {
267                             if (counter == 0)
268                             {
269                                 <div class="gallery-large">
270                                     <div class="image js-active">
271                                         <img src=@img.Value alt=@img.Key' >
272                                     </div>
273                                     <div class="image second-image"></div>
274                                 </div>
275                             }
276                             if (approvedValue != "-")
277                             {
```

```
279         <span class="approved">@productModel.Product.Make @approvedValue</span>
280     }
281 </div>
282 <div class="gallery-small js-active">
283     
284 </div>
285 }
286 else
287 {
288     <div class="gallery-small">
289         
290     </div>
291 }
292 }
293 counter++;
294 }
295 }
296 </div>
297 }
298 else if (productModel.Product.ImageList.Count() == 1)
299 {
300     foreach (var img in productModel.Product.ImageList)
301     {
302         <div>
303             
304             @if (approvedValue != "-")
305             {
306                 <span class="approved">@productModel.Product.Make @approvedValue</span>
307             }
308         </div>
309     }
310 }
311 else if (productModel.Product.ImageList.Count() == 0)
312 {
313     <div>
314         
315         @if (approvedValue != "-")
316         {
317             <span class="approved">@productModel.Product.Make @approvedValue</span>
318         }
319     </div>
320 }
321 }
322 else
323 {
324     <h1>@Translate("Translate_Used_machine_not_found")</h1>
325     <div>
326         
327     </div>
328 }
329 }
330 else
331 {
332     <text>@RenderSnippet("ChosenUsedMachineGallery")</text>
333 }
334 </div>
335 <div class="content">
336     @if (productModel.HasProduct)
337     {
338         <a href="@pdfDownloadLink" target="_blank" id="usedMachineSavePdf">
339             @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-pdf.svg")))
340             {
341                 <span class="icon icon-pdf">
342                     @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-pdf.svg"))
343                 </span>
344             }
345             <span class="text">
346                 @Translate("Translate_Gem_som_PDF")
347             </span>
348         </a>
349     }
350     @if (UMID != "-1")
351     {
352         if (productModel.HasProduct)
353         {
354             <div class="specifications">
355                 <span class="header">@Translate("Translate_Specifikationer")</span>
356                 <ul>
357                     <li class="specification">
358                         <span class="label">@Translate("Translate_Intern_nummer")</span>
359                         <span class="value">@productModel.Product.Id</span>
360                     </li>
361                     <li class="specification">
362                         <span class="label">@Translate("Translate_Aargang")</span>
363                         <span class="value">@productModel.Product.Year</span>
364                     </li>
365                     @if (productModel.Product.SpecificationList.Count() > 10)
366                     {
367                         for (var a = 0; a < 10; a++)
368                         {
369                             if (
370                                 @productModel.Product.SpecificationList[a].Id != "M-0090570" &&
371                                 @productModel.Product.SpecificationList[a].Id != "M-0090565"
372                             )
373                             {
374                                 <li class="specification"><span class="label">@productModel.Product.SpecificationList[a].Label</span> <span class="value">@productModel.Product.SpecificationList[a].Value</span></li>
375                             }
376                         }
377                     }
378                     else
379                     {
380                         foreach (var spec in productModel.Product.SpecificationList)
381                         {
382                             if (
383                                 spec.Id != "M-0090570" &&
384                                 spec.Id != "M-0090565"
385                             )
386                             {
387                                 <li class="specification"><span class="label">@spec.Label</span> <span class="value">@spec.Value</span></li>
388                             }
389                         }
390                     }
391                 </ul>
392                 @if (productModel.Product.SpecificationList.Count() > 10)
393                 {
394                     <div>
395                         <a id="allSpecificationsLink" class="button button-inline">@Translate("Translate_Se_alle_specifikationer")</a>
396                     </div>
397                 }
398                 <a id="usedMachineRequestButton" class="button button-primary">
399                     <span class="text">@Translate("Translate_Prisforespoergsel")</span>
400                 </a>
401             </div>
402             <div id="usedMachinesRequestForm">
403                 @{
404                     int formParagraphID = -1;
405                 }
406                 try
407                 {
408                     formParagraphID = Convert.ToInt32(Pageview.Area.Item["UsedMachinesRequestParagraph"]);
409                 }
410                 catch
411                 {
412                 }
413             }
414             if (formParagraphID != -1)
415             {
416                 <text>@RenderParagraphContent(formParagraphID)</text>
417             }
418         }
419     }
420     @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-close.svg")))
421     {
422         <span class="icon icon-close">
```

```

424         @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-close.svg"))
425     }
426 }
427 }
428 }
429 else
430 {
431     <div class="specifications">
432     </div>
433 }
434 }
435 }
436 }
437 {
438     <text>@RenderSnippet("ChosenUsedMachineHeaderSpecifications")</text>
439     <div id="usedMachinesRequestForm">
440         @{
441             int formParagraphID = -1;
442
443             try
444             {
445                 formParagraphID = Convert.ToInt32(Pageview.Area.Item["UsedMachinesRequestParagraph"]);
446             }
447             catch
448             {
449             }
450
451             if (formParagraphID != -1)
452             {
453                 <text>@RenderParagraphContent(formParagraphID)</text>
454             }
455
456             @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-close.svg")))
457             {
458                 <span class="icon icon-close">
459                     @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-close.svg"))
460                 </span>
461             }
462         }
463     </div>
464 }
465 <div class="social">
466 <a href='tel:@Translate("Translate_Brugte_maskiner_kontakt_telefonnr")' class="button button-secondary">
467     <span class="text">@Translate("Translate_Kontakt_os_paa")</span>
468 </a>
469 <span class="header">Følg os</span>
470 @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-facebook.svg")) && !string.IsNullOrEmpty(Pageview.Area.Item["Facebook"]))
471 {
472     <a href='@Pageview.Area.Item["Facebook"]' class="icon icon-facebook" target="_blank">
473         @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-facebook.svg"))
474     </a>
475 }
476 @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-linkedin.svg")) && !string.IsNullOrEmpty(Pageview.Area.Item["LinkedIn"]))
477 {
478     <a href='@Pageview.Area.Item["LinkedIn"]' class="icon icon-linkedin" target="_blank">
479         @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-linkedin.svg"))
480     </a>
481 }
482 @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-youtube.svg")) && !string.IsNullOrEmpty(Pageview.Area.Item["YouTube"]))
483 {
484     <a href='@Pageview.Area.Item["YouTube"]' class="icon icon-youtube" target="_blank">
485         @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-youtube.svg"))
486     </a>
487 }
488 </div>
489 </div>
490 </header>
491 @if (UMID != "-1")
492 {
493     if (productModel.HasProduct)
494     {
495         if (productModel.Product.SpecificationList.Count() > 10)
496         {
497             <section id="allSpecifications" class="section section-white">
498                 <div class="content">
499                     <div class="specifications">
500                         <h2>@Translate("Translate_Alle_specifikationer")</h2>
501                         <ul>
502                             <li class="specification">
503                                 <span class="label">@Translate("Translate_Intern_nummer")</span>
504                                 <span class="value">@productModel.Product.Id</span>
505                             </li>
506                             <li class="specification">
507                                 <span class="label">@Translate("Translate_Aargang")</span>
508                                 <span class="value">@productModel.Product.Year</span>
509                             </li>
510                             @foreach (var spec in productModel.Product.SpecificationList)
511                             {
512                                 if (
513                                     spec.Id != "M-0090570" &&
514                                     spec.Id != "M-0090565"
515                                 )
516                                 {
517                                     <li class="specification"><span class="label">@spec.Label</span> <span class="value">@spec.Value</span></li>
518                                 }
519                             }
520                         </ul>
521                         <a id="usedMachineRequestButton" class="button button-primary">
522                             <span class="text">@Translate("Translate_Prisforespoergsel")</span>
523                         </a>
524                     </div>
525                 </div>
526             </section>
527         }
528     }
529
530     string templatename = GetGlobalValue("Global:Pageview.LayoutTemplate").Replace(".cshtml", "").ToLower();
531
532     if (templatename == "pdf-used-machine")
533     {
534         double dHalfWay = Convert.ToDouble(productModel.Product.SpecificationList.Count() - 2) / 2;
535         int halfWay = (int)Math.Ceiling(dHalfWay);
536         halfWay = halfWay;
537
538         <section id="pdfSpecifications" class="section section-white">
539             <div class="content">
540                 <div class="specifications">
541                     <ul>
542                         <li class="specification">
543                             <span class="label">@Translate("Translate_Intern_nummer")</span>
544                             <span class="value">@productModel.Product.Id</span>
545                         </li>
546                         <li class="specification">
547                             <span class="label">@Translate("Translate_Aargang")</span>
548                             <span class="value">@productModel.Product.Year</span>
549                         </li>
550                         @for (int a = 0; a < halfWay; a++)
551                         {
552                             <li class="specification">
553                                 <span class="label">@productModel.Product.SpecificationList[a].Label</span>
554                                 <span class="value">@productModel.Product.SpecificationList[a].Value</span>
555                             </li>
556                         }
557                     </ul>
558                     <ul>
559                         @for (int a = halfWay; a < productModel.Product.SpecificationList.Count(); a++)
560                         {
561                             <li class="specification">
562                                 <span class="label">@productModel.Product.SpecificationList[a].Label</span>
563                                 <span class="value">@productModel.Product.SpecificationList[a].Value</span>
564                             </li>
565                         }
566                     </ul>
567                 </div>
568             </div>
569         </section>
570     }
571 }

```

```
</section>
569     }
570     }
571     else
572     {
573         <text>@RenderSnippet("UsedMachineAllSpecifications")</text>
574     }
575     <div id="ecomContent">@GetValue("DwContent(ecomContent)")</div>
576
577 @SnippetStart("csstop")
578 <style>
579     html {
580         margin: 0;
581     }
582
583     body {
584         background: none;
585         padding: 14mm 14mm 0 14mm;
586         margin: 0;
587         color: #000;
588         font-family: Arial, Helvetica, sans-serif;
589     }
590
591     #navigation,
592     #modallanguages,
593     #modalSearch,
594     #header:before,
595     #header:after,
596     #header .specifications *,
597     #usedMachineRequestButton,
598     .gallery .gallery-small,
599     #usedMachineRequestButton,
600     #usedMachineRequestForm,
601     #usedMachineSavePdf,
602     #allSpecifications h2,
603     .social,
604     #footerNavigation,
605     #footer:before,
606     #footer br,
607     #footer .social,
608     #allSpecifications {
609         display: none;
610     }
611
612     #burgerNav:after,
613     #burgerNavigation ul,
614     .section.section-white {
615         background: none;
616     }
617
618     #header .specifications .header {
619         display: block;
620     }
621
622     #header .header,
623     h1 {
624         color: #000;
625         font-size: 24pt;
626         display: block;
627         font-family: Arial, Helvetica, sans-serif;
628     }
629
630     #header .content,
631     .section {
632         text-align: left;
633     }
634
635     .section,
636     .gallery {
637         padding: 0;
638     }
639
640     #productGalleryImageMain {
641         margin-bottom: 5mm;
642     }
643
644     #productGalleryImageMain h1 {
645         margin-bottom: 5mm;
646     }
647
648     #productGalleryImageMain,
649     .gallery .gallery-large {
650         width: 100%;
651     }
652
653     #productGalleryImageMain img,
654     .gallery .gallery-large img {
655         height: auto;
656         width: auto;
657         max-width: 100%;
658         max-height: 142mm;
659     }
660
661     #pdfSpecifications ul {
662         width: 50%;
663         float: left;
664         padding: 0;
665         font-size: 11pt;
666         line-height: 1.08;
667         margin-left: -5mm;
668         margin-right: -5mm;
669     }
670
671     #pdfSpecifications ul + ul {
672         margin-left: 10mm;
673     }
674
675     #pdfSpecifications li {
676         display: block;
677         width: 100%;
678         float: left;
679         padding-bottom: 2mm;
680         padding-left: 5mm;
681         padding-right: 5mm;
682         overflow: auto;
683     }
684
685     #pdfSpecifications .label {
686         display: inline-block;
687         float: left;
688     }
689
690     #pdfSpecifications .value {
691         display: inline-block;
692         float: right;
693     }
694
695     #footer {
696         background: none;
697         font-size: 7pt;
698         height: 7mm;
699         position: absolute;
700         top: 300mm;
701         left: auto;
702         /*right: 115px;*/
703         right: 14mm;
704         overflow: hidden;
705         line-height: 1.3;
706         color: #000;
707     }
708
709     #footer .content {
710         display: block;
711         margin: 0;
712     }
```

```

714 width: 100%;
715 max-width: none;
716 }
717 #footer .header {
718 display: inline;
719 text-transform: none;
720 font-size: 7pt;
721 padding: 0;
722 margin: 0;
723 line-height: 1.3;
724 color: #000;
725 font-family: Arial, Helvetica, sans-serif;
726 font-weight: bold;
727 }
728
729 #footer .header:after {
730 content: ":";
731 display: inline;
732 position: static;
733 height: auto;
734 width: auto;
735 background: none;
736 bottom: auto;
737 left: auto;
738 font-family: Arial, Helvetica, sans-serif;
739 font-weight: bold;
740 }
741
742 #footer p {
743 display: inline;
744 }
745
746 #footer-logo {
747 position: absolute;
748 top: 300mm;
749 /*left: 115px;*/
750 left: 14mm;
751 width: 39.2mm;
752 height: 7mm;
753 z-index: 999999;
754 }
755
756 #footer-logo img {
757 width: 100%;
758 height: 100%;
759 }
760 </style>
761 @SnippetEnd("csstop")
762
763 @SnippetStart("UsedMachineBeforeFooter")
764 <div id="footer-logo"></div>
765 @SnippetEnd("UsedMachineBeforeFooter")
766 @RenderSnippet("UsedMachineBeforeFooter")
767 <footer id="footer" class="section section-greycextradark">
768 <div class="content">
769 <nav id="footerNavigation">
770 <span class="header">Menu</span>
771 @GetValue("DwNavigation(footerNav)")
772 </nav>
773 <foreach (var departmentItem in GetLoop("Item.Area.Departments"))
774 {
775 @SnippetStart("ContactHeaderDepartments")
776 <li class="department">
777 <h2>@departmentItem.GetString("Item.Area.Departments.Header")</h2>
778 <ul class="infoList">
779 <li class="info">
780 @departmentItem.GetString("Item.Area.Departments.Name")
781 <br>
782 @departmentItem.GetString("Item.Area.Departments.Address")
783 <br>
784 @departmentItem.GetString("Item.Area.Departments.Zipcode") @departmentItem.GetString("Item.Area.Departments.City")
785 </li>
786 <li class="info">
787 Tlf.: <a href='tel:@departmentItem.GetString("Item.Area.Departments.Phone")'>@departmentItem.GetString("Item.Area.Departments.Phone")</a>
788 <br>
789 <a href='mailto:@departmentItem.GetString("Item.Area.Departments.Email")'>@departmentItem.GetString("Item.Area.Departments.Email")</a>
790 </li>
791 </ul>
792 </li>
793 @SnippetEnd("ContactHeaderDepartments")
794 <div id="@departmentItem.GetString(" item.area.departments.id_1")="">
795 <span class="header">@departmentItem.GetString("Item.Area.Departments.Header")</span>
796 <p>
797 @departmentItem.GetString("Item.Area.Departments.Name")
798 <br>
799 @departmentItem.GetString("Item.Area.Departments.Address")
800 <br>
801 @departmentItem.GetString("Item.Area.Departments.Zipcode") @departmentItem.GetString("Item.Area.Departments.City")
802 <br>
803 @departmentItem.GetString("Item.Area.Departments.Phone")
804 </p>
805 </div>
806 </div>
807 </div>
808 <div class="content">
809 <div class="social">
810 <span class="header">@Translate("Translate_Foelg_os")</span>
811 @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-facebook.svg"))) && !string.IsNullOrEmpty(GetString("Item.Area
812 {
813 <a href='@GetString("Item.Area.Facebook")' class="icon icon-facebook" target="_blank">
814 @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-facebook.svg"))
815 </a>
816 }
817 @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-linkedin.svg"))) && !string.IsNullOrEmpty(GetString("Item.Area
818 {
819 <a href='@GetString("Item.Area.Linkedin")' class="icon icon-linkedin" target="_blank">
820 @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-linkedin.svg"))
821 </a>
822 }
823 @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-youtube.svg"))) && !string.IsNullOrEmpty(GetString("Item.Area
824 {
825 <a href='@GetString("Item.Area.YouTube")' class="icon icon-youtube" target="_blank">
826 @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-youtube.svg"))
827 </a>
828 }
829 </div>
830 </div>
831 </footer>
832 </div>
833 <div id="pageOverlay"></div>
834 <div id="modalOverlay"></div>
835 <div id="modalSearch" class="modal">
836 <div class="modal-content-wrap">
837 <div class="content">
838 <form method="get" action="/Default.aspx?Id=@GetString("Item.Area.SearchPageId") >
839 <div class="input-wrap input-wrap-large">
840 <input type="hidden" name="id" value='@GetString("Item.Area.SearchPageId")' >
841 <input type="text" name="q" placeholder='@Translate("Translate_Soeg_Placeholder")' >
842 <button type="submit" class="button button-primary"><span class="text">@Translate("Translate_Soeg")</span></button>
843 </div>
844 </form>
845 </div>
846 @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-close.svg")))
847 {
848 <span class="icon icon-close button-close">
849 @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-close.svg"))
850 </span>
851 }
852 </div>
853 </div>
854 <div id="modalLanguages" class="modal">
855 <div class="modal-content-wrap">
856 <div class="content">
857 @foreach (var w1 in GetLoop("WebsiteLanguages"))

```

```
859     {
860     {
861         <span class="language-current">
862             @Translate("Translate_Language_selector_" + w1.GetString("Culture"))
863         </span>
864     }
865     else if (!string.IsNullOrEmpty(w1.GetString("PrimaryDomain")))
866     {
867         string languageURL = "https://" + w1.GetString("PrimaryDomain");
868
869         @SnippetStart("OtherLanguages")
870         <a class="language-other" href=@languageURL'><span>@Translate("Translate_Language_selector_" + w1.GetString("Culture") + "_short")</span></a>
871         @SnippetEnd("OtherLanguages")
872     }
873 }
874 @RenderSnippet("OtherLanguages")
875 </div>
876 @if (System.IO.File.Exists(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-close.svg")))
877 {
878     <span class="icon icon-close button-close">
879         @System.IO.File.ReadAllText(System.Web.HttpContext.Current.Server.MapPath("/files/templates/designs/ncnielsen/images/icon-close.svg"))
880     </span>
881 }
882 </div>
883 </div>
884 @RenderSnippet("contentbottom")
885 <script src="/Files/Templates/Designs/ncnielsen/js/ncnielsen.min.js?v=@jsEditDate' async="" defer=""></script>
886 @if (System.Web.HttpContext.Current.Request.Cookies["ncnielsen-styles"] == null)
887 {
888     System.Web.HttpContext.Current.Response.Cookies["ncnielsen-styles"].Value = "1";
889     System.Web.HttpContext.Current.Response.Cookies["ncnielsen-styles"].Expires = DateTime.Now.AddDays(100);
890 }
891 <noscript id="deferred-styles">
892     <link rel="stylesheet" href="/files/templates/designs/ncnielsen/css/ncnielsen.min.css" media="screen">
893 </noscript>
894 <script>
895     var loadDeferredStyles = function () {
896         var addStylesNode = document.getElementById("deferred-styles");
897         var replacement = document.createElement("div");
898
899         replacement.innerHTML = addStylesNode.textContent;
900         document.body.appendChild(replacement)
901         addStylesNode.parentElement.removeChild(addStylesNode);
902     };
903
904     var raf = requestAnimationFrame || mozRequestAnimationFrame || webkitRequestAnimationFrame || msRequestAnimationFrame;
905
906     if (raf) raf(function () { window.setTimeout(loadDeferredStyles, 0); });
907     else window.addEventListener('load', loadDeferredStyles);
908 </script>
909 }
910 </body>
911 </html>
912
```